

REPLACEMENT PARTS GUIDE

6E Series - 1204P, 1404P Tractors

CAB



RECIRCULATION AIR FILTER

[RE195491](#)

Clean after every 250 hours and annually. Change as required.

1

CAB



FRESH AIR FILTER

[RE198488](#)

Service after every 250 Hours. Change as required

5

ENGINE



OIL FILTER

[RE504836](#)

Replace after Initial 100 Hours and every 250 hours.
(Click here for [capacity](#))

6



PRIMARY FUEL FILTER

[DZ115390](#)



FINAL FUEL FILTER

[DZ115391](#)

Replace after every 500 hours.

7



PRIMARY AIR FILTER

[AL172780](#)



SECONDARY AIR FILTER

[AL150288](#)

Replace after every 1000 hours or annually whichever occurs first. Change as required.

8



HYDRAULIC



OIL FILTER

[SJ11792](#)

Replace after first 100 hours then after every 500 hours.
(Click here for [capacity](#))

2

ENGINE



CRANKCASE VENT FILTER

[DZ105100](#)

Replace after every 1500 Hours.

3



DIESEL PARTICULATE FILTER

[DZ115657](#)

4

CAPACITIES

6E Series - 1204P, 1404P Tractors

CAPACITIES (Approximate):

Fuel Tank:

1204P, 1404P220 L (58.12 gal)

Crankcase including Filter Change:

Plus-50™ II

1204P, 1404P15 L (3.96 gal)

Cooling System:

Cool-Gard™ II

1204P, 1404P23 L (6.08 gal)

Transmission and Hydraulic System:

Hy-Gard™

.....60 L (15.65 gal)

Mechanical Front Wheel Drive (MFWD) Axle Housing: Hy-Gard™

1204P, 1404P5 L (1.32 gal)

Mechanical Front Wheel Drive (MFWD) Hubs (Each): Hy-Gard™

1204P, 1404P0.8 L (0.21 gal)

[Return to Filter Overview](#)



REPLACEMENT PARTS GUIDE

6E Series - 1204P, 1404P Tractors



FAN DRIVE BELT

[L203294](#)
(V- Belt, Length= 3204 MM)

AXLE



TIE ROD END

[AM105808](#) (1204P) (Rear)
[AM105809](#) (1204P) (Front)
[SJ25730](#) (1404P) (Front)
[SJ34093](#) (1404P) (Rear)



ENGINE



BRAKE DISK

[SU34458](#)



BATTERY

[SJ36671](#)

(Wet Charged Battery)



ALTERNATOR

[SJ24309](#) (90A) (1204P)

[TA16698](#) (110A) (1204P, 1404P)



JOHN DEERE
Genuine Parts and Service

CLICK PART NUMBER TO BUY