

# REPLACEMENT PARTS GUIDE

## Z530R ZTrak™ Mower

### ENGINE



#### SPARK PLUG

[M805853](#)

Every 100 hrs/Annually.



#### OIL FILTER

[AM125424](#)

Every 50 hrs/Annually.



#### ENGINE OIL

[TY22029](#) (Turf-Gard™ 10W-30)

Every 50 hrs/Annually.



#### PRIMARY AIR FILTER ELEMENT

[MIU12554](#)



[MIU12555](#)

Every 100 hrs/Annually.



#### JOHN DEERE MULTI - PURPOSE HD LITHIUM COMPLEX GREASE

[TY24416](#)



#### GREASE GUN

[TY26518](#)

Change As Required.



#### FUEL FILTER

[UC21217](#)

Every 100 hrs/Annually.



#### HOME MAINTENANCE KIT

[LG265](#)

Every 100 hrs/Annually.



#### V BELT

[M172116](#) (LGTH =1945 mm, TK = 8 mm, WIDTH = 12.8 mm) (TRACTION DRIVE)



### ELECTRICAL



#### KEY

[AUC12681](#)



#### HEAD LIGHT BULB

[AUC18501](#) (4.32 W)



#### IGNITION SWITCH

[AUC14659](#)



#### BATTERY

[TY25221B](#) (12 V) (FOR CANADA AND USA)  
[MCYP340PE](#) (12 V) (NOT FOR CANADA AND USA)

### FUEL & AIR



#### FILLER CAP

[AM146138](#)



#### MUFFLER

[AM146010](#)



**JOHN DEERE**  
Genuine Parts and Service

CLICK PART NUMBER TO BUY

\*See operator's manual for additional details.

# REPLACEMENT PARTS GUIDE

## MOWER DECK - 54 INCH HIGH CAPACITY

### MOWER BLADE


[M164016](#)

### V BELT

[GX25998](#) (LGTH =3870 mm, TK =11.1 mm,  
WIDTH = 17.1 mm)

### MOWER DECK LEVELLING

[AM130907](#)



### GAGE WHEELS

[UC28193](#) (ANTI SCALP)

### MULCH BLADE

[UC28106](#)

# REPLACEMENT PARTS GUIDE

## MOWER DECK - 60 INCH HIGH CAPACITY

### MOWER BLADE


[M163983](#)

### V BELT

[M172963](#) (LGTH =4311 mm, TK =11.1 mm,  
WIDTH = 17.1 mm)

### MOWER DECK LEVELLING

[AM130907](#)



### GAGE WHEELS

[UC28193](#) (ANTI SCALP)

### MULCH BLADE

[UC18055](#)