

REPLACEMENT PARTS GUIDE

Z535M ZTrak Mower

ENGINE



OIL FILTER
[AM125424](#)

Every 50 hrs / Annually.



ENGINE OIL
[TY22029](#) (Turf-Gard™ 10W-30) (1.9 L (2 qt))

Every 50 hrs / Annually.



AIR FILTER
[UC10250](#) (PRIMARY)
[MIU13120](#) (SECONDARY)

Every 100 hrs / Annually.



JOHN DEERE MULTI-PURPOSE HD LITHIUM COMPLEX GREASE
[TY24416](#)

GREASE GUN
[TY26518](#)

Change As Required.



FUEL FILTER
[AM116304](#)

Every 100 hrs / Annually.



SPARK PLUG
[MIU11020](#)

Every 100 hrs / Annually.



TRACTION BELT
[M172116](#) (LGTH =1945 mm, TK = 8 mm, WIDTH = 12.8 mm)



HOME MAINTENANCE KIT
[LG269](#)



ELECTRICAL



KEY
[AUC12681](#)



HEAD LIGHT BULB
[BUC10071](#)



IGNITION SWITCH
[TCA22740](#) (S/N (- 080000))
[AUC14659](#) (S/N (080001-))



BATTERY
[TY25221B](#) (12 V) (FOR CANADA AND USA)
[MCYP340PE](#) (12 V) (NOT FOR CANADA AND USA)

FUEL & AIR



FILLER CAP
[AM146138](#)



MUFFLER
[GY22304](#)

REPLACEMENT PARTS GUIDE

Z535M with 48 inch Accel Deep Deck

MOWER BLADE

[UC22009](#)

V BELT

[GX25998](#) (LGTH = 3870 mm, TK = 11.1 mm,
WIDTH = 17.1 mm)

[M147044](#) (Power Flow™ S/N (- 050000))
(LGTH = 2276 mm, TK = 7.874 mm,
WIDTH = 12.7 mm)

[UC20041](#) (Power Flow™ S/N (050001-))
(LGTH = 2276 mm)



GAGE WHEELS

[GX10168](#)

MULCH BLADE

[UC25185](#)

MOWER DECK LEVELING GAUGE

[AM130907](#)

REPLACEMENT PARTS GUIDE

Z535M with 54 inch Accel Deep Deck

MOWER BLADE

[UC22010](#) (STANDARD)

[M152726](#) (HIGH LIFT)

V BELT

[GX25998](#) (LGTH = 3870 mm, TK = 11.1 mm,
WIDTH = 17.1 mm)

[M147044](#) (Power Flow™ S/N (- 050000))
(LGTH = 2276 mm, TK = 7.874 mm,
WIDTH = 12.7 mm)

[UC20041](#) (Power Flow™ S/N (050001-))
(LGTH = 2276 mm)



GAGE WHEELS

[GX10168](#)

MULCH BLADE

[M177791](#)

MOWER DECK LEVELING GAUGE

[AM130907](#)

REPLACEMENT PARTS GUIDE

Z535M with 62 inch Convertible Deck

MOWER BLADE

[M158112](#)



V BELT

[M172963](#) (LGTH = 4311 mm, TK = 11.1 mm,
WIDTH = 17.1 mm)



GAGE WHEELS

[UC28193](#) (ANTI SCALP)



MULCH BLADE

[M145719](#)



MOWER DECK LEVELING GAUGE

[AM130907](#)

