

REPLACEMENT PARTS GUIDE

(-765000) S-Series Combines S550, S560

ENGINE

ENGINE FUEL FILTERS

RE522878 (S550)

FUEL WATER SEPARATOR PRE-FILTER
RE541922 STANDARD (S550)

FUEL WATER SEPARATOR PRE-FILTER
R502778 STANDARD (S560)

FUEL WATER SEPARATOR PRE-FILTER
N378886 PREMIUM (S550 - S560)

RE525523 (DUAL S560)
Replace fuel filters every 400 hours.

ENGINE, AIR, SECONDARY

AH212295 (S560)

Change Secondary filter only with Primary filter. Change or replace after 400 hours as required with Primary Air Filter.

ENGINE OIL FILTER

RE504836 (S550)

RE509672 (S560)

Minimum hours before first engine oil change is 100 hours. Extended engine oil change every 500 hours or annually, whichever come first. The extended 500 hour interval is only allowed if using Plus-50™ II oil with a John Deere filter and diesel fuel with sulfur content less than 15mg/kg (15ppm). If all conditions are not met, change oil and filter at 250 hours of operation.

ENGINE, AIR, PRIMARY

AH222225 (S550, S560)

Clean or Replace every 400 hours and as required.

ProDrive™ FILTER

AH128449 (S560)

Replace after first 100 hours, then every 400 hours.

HYDRAULIC

HYDRAULIC/MAIN ENGINE GEAR CASE FILTER

AH128449 (S550)
Replace every 400 hours.

HYDROSTATIC CHARGE FILTER (CLOSED CENTER)

AH128449 (S550)
Replace every 400 hours.

HYDROSTATIC DRIVE PUMP FILTER (ProDrive™ TRANSMISSION)

AN207368 (S550)

HYDRAULIC RETURN FILTER (RESERVOIR)

AXE12964 (S550)
Replace every 1000 hours

CAB

FRESH AIR FILTER

RE284091 (S550)

AH115833 STANDARD, (S560)

AH168783 HEAVY DUTY, (S560)

Clean or replace every 50 hours and as required.

MAIN ENGINE GEARCASE FILTER

CE19990
Replace within first 100 hours and every 400 hours.

FUEL FILTER PRIMARY FUEL FILTER

RE520906

PRIMARY AND SECONDARY FUEL FILTER

RE525523


Change as require or when Diagnostic Trouble Code (DTC) is generated.

RECIRCULATION AIR FILTER

L214634 (S560)

H220870 (S560)

Clean or replace every 200 hours and as required.



JOHN DEERE
Genuine Parts and Service

REPLACEMENT PARTS GUIDE

(-765000) S-Series Combines S550, S560

CAPACITIES (Approximate):

Fuel Tank:

All Models 757 L (200 gal)

Cooling System with Heater:

Cool-Gard™ II

S550 43 L (11.4 gal)

S560 53 L (14.0 gal)

Engine Crankcase with Filter:

Plus-50™ II

S550 32 L (8.5 gal)

S560 29 L (7.7 gal)

Transmission:

GL-5

All Models 9.6 L (2.53 gal)

Final Drives:

GL-5

All Models 8 L (2.11 gal)

Countershaft Drive Gearcase:

GL-5

All Models 1.2 L (0.31 gal)

Heavy-Duty Feeder House Reverser Gearcase w/o Cooler: ISO VG 460 Fully Synthetic

All Models 2.3 L (0.60 gal)

Heavy-Duty Feeder House Reverser Gearcase with Cooler: ISO VG 460 Fully Synthetic

All Models 3.5 L (0.92 gal)

Loading Auger Gearcase:

GL-5

All Models 3.8 L (1 gal)

Two Speed Separator Drive Gearcase:

GL-5

S550 2.4 L (0.63 gal)

S560 4.7 L (1.24 gal)

Engine Gearcase with Transfer:

Hy-Gard™

All Models 21.3 L (5.6 gal)

Premium Overshot Beater Gearcase (if equipped):

GL-5

All Models 0.2 L (0.05 gal)

Hydraulic/Hydrostatic Reservoir:

Hy-Gard™

All Models 35 L (9.2 gal)

[Return to Filter Overview](#)



REPLACEMENT PARTS GUIDE

(-765000) S-Series Combines S550, S560

THRESHING ELEMENTS



SEPARATOR TINES KIT, STANDARD WEAR
[AH209452](#) (Set of 3 elements)



SEPARATOR TINES KIT, HIGH WEAR
[AH213767](#) (Set of 3 elements)



STANDARD THRESHING ELEMENTS KIT, 1ST ROW, GRAIN
[AH219770](#) (Set of 3 elements)



STANDARD THRESHING ELEMENTS KIT, 2ND ROW, GRAIN
[AH219771](#) (Set of 3 elements)



STANDARD THRESHING ELEMENTS KIT, 3RD, 4TH & 5TH ROW, GRAIN
[KXE10160](#) (Set of 3 elements)



HIGH WEAR THRESHING ELEMENTS KIT, 3RD, 4TH & 5TH ROW, GRAIN
[AH219773](#) (Set of 3 elements)



STANDARD THRESHING ELEMENTS KIT, 1ST ROW, RICE
[AH219766](#) (Set of 3 elements)



STANDARD THRESHING ELEMENTS KIT, 2ND ROW, RICE
[AH219767](#) (Set of 3 elements)



SEPARATOR GRATE, CENTER
[H202234](#) (Set of 3 elements)



SEPARATOR GRATE, RIGHT
[H202262](#) (Set of 3 elements)



SEPARATOR GRATE, LEFT
[H202263](#) (Set of 3 elements)



FEED ACCELERATOR SMOOTH WEAR STRIPS
[BH81489](#) (Set of 30 elements)



STRAW CHOPPER



KNIFE KIT
[AH225940](#) (Set of 8 blades)



STATIONARY KNIFE BLADE
[H215004](#)

THRESHING ELEMENTS



FLIGHT KIT, FRONT
[AH219761](#) (Set of 3 elements)



FLIGHT KIT, REAR
[AH219762](#) (Set of 3 elements)



CONCAVE KIT, ROUND BAR CONCAVE, EXTENDED WEAR
[BH84291](#)



CONCAVE KIT, SMALL WIRE CONCAVE, REGULAR WEAR
[BH84289](#)



ROUND BAR CONCAVE INSERTS
[BH84294](#)



CONCAVE COVER PLATES FOR SMALL/LARGE WIRE CONCAVES
[BH84293](#)



LARGE WIRE CONCAVES
[BH84290](#)



FEED ACCELERATOR BEATER INSERT
[KXE10502](#)



JOHN DEERE

Genuine Parts and Service

HX532736R2.

*See operator's manual for additional details