
## REPLACEMENT PARTS GUIDE

6700A E-Cut™ Hybrid Fairway Mower





MIU800645 (NON TIER 4)

Change every 500 hrs.

0

V - BELT

TCU38089 (LGTH = 1475 mm, TK = 12 mm, WIDTH = 11 mm) (FAN)



**FUEL SEPARATOR ELEMENT** 

M811032 (TIER 4)

Change every 500 hrs.



**HYDRAULIC FILTER ELEMENT** 

UC33371

Change After First 50 Hours.



**TIE ROD** 

TCA23641







KEY

**AUC12681** 



**IGNITION SWITCH** 

AUC18708





TY25876B (12 V) (FOR CANADA AND USA)

MCYP340PF (12 V) (NOT FOR CANADA

AND USA)



**VOLTAGE REGULATOR** 

PFP22931



**THERMOSTAT** 

M811895



WATER TEMPERATURE SWITCH

CH15516



V - BELT

<u>UC22770 (</u>LGTH = 1438 mm, TK = 5.2 mm, WIDTH = 28.45 mm) (ALTERNATOR)

## **FUEL & AIR**



FILLER CAP

LVA18519



**MUFFLER** 

MIU803783

JOHN DEERE


Genuine Parts and Service

\*See operator's manual for additional details.

For Company Use - TC575655 Jun 2023. Release Date.

## **REPLACEMENT PARTS GUIDE**

**6700A Reel Cutting Unit** 





## **REPLACEMENT PARTS GUIDE**

**6700A Scrapers and Rollers** 




**BM23002** (GROOVED ROLLER SCRAPER, 3 INCH)
BUC10112 (SMOOTH SCRAPER, REAR,

2 INCH)

**BUC10114** (SMOOTH SCRAPER, FRONT, 22 INCH)

**BUC10342** (SMOOTH SCRAPER, 22 INCH)





**ROLLER** 

**BM19817** (3 INCH)

**BM25317** (3 INCH)

**BTC10835** (22 INCH)

